



HEBEI SINOSTAR TRADING CO., LTD.

Tel: +86-311-8603 9188 / 311-6726 3625 / 311-8699 9716

Fax: +86-311-8607 3288

Email: sales@hbsinostar.com

Website: www.hbsinostar.com


Address: No. 39, Xiangyi Road, Xinhua District, Shijiazhuang, Hebei, China

METAL FENCE

GLOBAL SUSTAINABLE SUPPLY CHAIN
INTEGRATION PLATFORM
FOR BUILDING MATERIALS & HARDWARE



WEBSITE



WECHAT

HEBEI SINOSTAR TRADING CO., LTD.
QUALITY / SERVICE / HONESTY / SPECIALTY / INNOVATION



CONTENTS

About Hebei Sinostar

Company Profile	01
Why Hebei Sinostar	03

Fence Series

Welded Mesh Fence	06
Double Wire Panel/Twin Wire Panel Fence	07
Euro-Panel Fence/Duth Weave Mesh Fence	08
Mobile Fence/Temporary Fence	09
Pedestrian Barrier Fence/Crowd Control Barrier	10
Palisade Fence	11
Steel Railing Fence	12
Wrought Iron Fence	13
Chain Link Fence	14
Anti-Climb Fence	15
Airport Fence	16

Fence Accessories

Post & Fitting	18
Fence Accessories	19

Company Profile

Founded in 2005, Hebei Sinostar Group is a growth-oriented export enterprise with over 20 years of experience in the building materials and hardware industry.

Building Materials and Hardware remain the core business and strategic foundation of Hebei Sinostar Group, forming the backbone of our long-term development. Our products cover a full range of building materials and hardware solutions, including Iron Wire and Wire Mesh, Metal Fencing Systems, Fasteners and Screws, Iron Nails, Metal Pipes, Roofing Sheets, Pipe Fittings and Valves, Scaffolding, Safety Ladders, Iron Art, and Garden Metalware Products. Our main markets involve the EU, Middle & South America, Southeast Asia, the Middle East, and Africa.

Supported by over 500 certified long-term manufacturing partners, we serve large home centers, contractors, traders, and wholesalers with the best quality products, the most competitive prices, and the most intimate service.

Delivering Responsible Growth

At Hebei Sinostar, we share a common noble aspiration: To fulfill our mission through responsible growth. As a one-stop building materials and hardware sourcing solutions supplier, we are committed to providing our clients we serve with the best quality products, the most competitive price, and the most intimate service to create tangible value for their business.

Our Mission

To be the world's most customer-centric enterprise, offering superior cost-performance products andmost efficient services.

Our Vision

To be the world's most trustworthy enterprise, consistently delivering value and innovative experiences beyond expectations.

Our Core Values

- Quality

Our QC inspectors monitor the whole process of production of each order to make sure the quality fully meets the market and customers' needs.
- Service

We always adhere to the philosophy of "customer-centered, market-oriented", and continuously provide high-quality services to our customers.
- Honesty

Honesty is essential in any lasting business and partnership. We consider from the perspective of our customers, we act in an open and transparent way to realize customers value.
- Specialty

Professional skills are the foundation of high-quality services. Our professional and dedicated team members make customers' business easier and safer.
- Innovation

Innovation is the key factor of the continuous company success. Driven by the customer needs, we are always focused on innovation and development to improve our customer satisfaction.

By driving responsible growth, Hebei Sinostar Group is committed to growing together with our clients, suppliers, shareholders, and employees, creating tangible value across the entire supply chain.



Why Hebei Sinostar

Supply Chain Management System

Supply Chain Integration: With professional supply chain team and over 20 years of industry experience, we integrate 500+ certified suppliers through standardized qualification, audits, testing, and continuous performance evaluation.

This structured integration ensures stable capacity, consistent quality standards, reliable delivery, and reduced single-source dependency.

Risk Management: We Have To Grow Within Our Risk Framework. Managing risk well is foundational to responsible growth. It contributes to the strength and sustainability of our company and our customers for the future.

Everyone has a role to play in managing risk. All employees are responsible for proactively managing risk as part of their day-to-day activities through prompt identification of product liability and capital risks.

Logistics Assurance: With two decades of operational excellence and a globally optimized network, we deliver fully digitized logistics solutions encompassing procurement, warehousing, transportation, and customs clearance.

By embedding value creation into every supply chain node and leveraging our robust logistics infrastructure, we provide enterprise-grade "safety, efficiency, and sustainability" assurances to global clients.

Digital Supply Chain Services: Digitalization is a core enterprise-level strategy at Hebei Sinostar. We operate end-to-end digitalized, standardized, and automated supply chain systems, covering order processing, production tracking, quality inspection, logistics execution, and shipment release.

This system-level control ensures transparency, traceability, and execution discipline, transforming efficiency into measurable customer value.

One-Stop Sourcing Solution: Hebei Sinostar offers one-stop building materials and hardware sourcing solutions, designed to meet different customer types and project scenarios.

We help customers reduce supplier complexity, shorten sourcing cycles, and improve procurement efficiency, and ensuring product quality and cost control.

Financial Support: Hebei Sinostar provides risk-controlled, operation-aligned financial support options designed to match real business cycles, helping customers improve capital efficiency.

By integrating business execution with financial management, we help partners improve cash flow efficiency while maintaining disciplined capital risk control.

Quality Management System

Hebei Sinostar has introduced an advanced quality control system and customized testing solutions with comprehensive quality control throughout the entire process.

The testing data is integrated in real-time into our ERP and QMS systems, creating a traceable quality control system covering the entire process from raw materials, samples, production, processing, finished products, to warehousing, packaging, and port shipment.

Hebei Sinostar is certified to ISO 9001:2015, ISO 45001:2018, and ISO 14001:2015.



ISO 45001:2018




ISO 9001:2015



ISO 14001:2015

Digital Quality Inspection Tool--QARMA

Adopted by Hebei Sinostar, enhances its ability to maintain and uphold the highest standards across all stages of production.



Covering every step of the inspection process



Planning & scheduling for inspector




Generating reports, analytics, and insights



Fence Series

Welded Mesh Fence

Surface Treatment:
Mesh: Pre-galvanized+polyester Powder Coated; Hot Dipped Galvanized+polyester Powder Coated;
Post: Pre-galvanized+polyester Powder Coated; Hot Dipped Galvanized+polyester Powder Coated;



Mesh Size	Height	Width	Line Wire x Cross Wire	Post Length
50x100mm	1230mm	2500/2750/3000mm	4.0mmx4.0mm 4.0mmx4.5mm 4.0mmx5.0mm	1600mm
	1530mm	2500/2750/3000mm		2000mm
	1730mm	2500/2750/3000mm		2200mm
50x150mm	2030mm	2500/2750/3000mm	4.5mmx4.5mm	2500mm
50x200mm	2230mm	2500/2750/3000mm	4.5mmx5.0mm	2800mm
	2430mm	2500/2750/3000mm	5.0mmx5.0mm	3000mm
	3030mm	2250/2500mm		4000mm


*All Parts is Available Produced as Per Client Request.

Double Wire Panel/Twin Wire Panel Fence

Surface Treatment:

Mesh: Pre-galvanized+polyester Powder Coated; Hot Dipped Galvanized+polyester Powder Coated;

Post: Pre-galvanized+polyester Powder Coated; Hot Dipped Galvanized+polyester Powder Coated;



Panel				
Mesh Size	Line Wire x Inner Wire	Height	Width	Post length
50x200mm 55x200mm	6.0mmx5.0mm 8.0mmx6.0mm	1800mm	2500mm	2400mm
		2000mm	2750mm	2600mm
		2400mm	3000mm	2800mm
		2800mm		3000mm
				3500mm


*All Parts is Available Produced as Per Client Request.

Euro-Panel Fence/Dutch Weave Mesh Fence

Surface Treatment:

Mesh: Pre-galvanized+polyester Powder Coated; Hot Dipped Galvanized+ polyester Powder Coated;

Post: Pre-galvanized+polyester Powder Coated; Hot Dipped Galvanized+ polyester Powder Coated;



Height	Mesh length	Mesh Size	Wire Diameter	Post Height
1200mm	25m per roll	50x50mm 50x100mm	2.0mm	1500mm
1500mm			2.5mm	2000mm
1800mm	30m per roll		3.0mm	2300mm
2000mm				2500mm

*All Parts is Available Produced as Per Client Request.

Mobile Fence/Temporary Fence

Surface Treatment:

Mesh: Pre-galvanized; Hot Dipped Galvanized; Edg/hdg+polyester Powder Coated;

Post: Pre-galvanized; Hot Dipped Galvanized; Edg/hdg+polyester Powder Coated;



Height	Width	Mesh Size	Wire Diameter	Frame Size:Round	
				O.D	Thickness
1800mm	2400mm	50x50mm	3.0mm	◎25mm	1.2-2.0mm
2000mm	3000mm	60x60mm		◎32mm	
2100mm	3500mm	70x70mm	3.5mm	◎38mm	
4ft	8ft	75x75mm	3.7mm	◎42mm	
6ft	9.5ft	60x150mm	4.0mm		
8ft	10ft	75x250mm			

Height	Width	Mesh Size	Wire Diameter	Frame Size:Round	
				Frame Size	Thickness
1800mm	2400mm	50x50mm	3.0mm	20x20mm	1.5-2.0mm
2000mm	3000mm		3.5mm	20x40mm	
2100mm	3500mm	50x100mm	3.7mm	25x25mm	
4ft	8ft	50x150mm	4.0mm	30x30mm	
6ft	9.5ft				
8ft	10ft				

*All Parts is Available Produced as Per Client Request.

Pedestrian Barrier Fence/
Crowd Control Barrier

Surface Treatment: Polyester Powder Coated; Hot Dipped Galvanized; Pre-galvanized;



Height	Width	Frame Pipe Size		Infilled Pipe Size		Infilled Pipe Space
		O.D	Thickness	O.D	Thickness	
1100	2000	25mm	1.5-2.0mm	14mm	0.9-1.5mm	125mm
	2100	32mm	1.5-2.0mm	16mm	0.9-1.5mm	
	2400	38mm	1.5-2.0mm	19mm	0.9-1.5mm	132mm
	2500	42mm	1.5-2.0mm	25mm	0.9-1.5mm	












*All Parts is Available Produced as Per Client Request.

Palisade Fence

Surface Treatment:

Mesh: Pre-galvanized+polyester Powder Coated; Hot Dipped Galvanized+polyester Powder Coated;

Post: Pre-galvanized+polyester Powder Coated; Hot Dipped Galvanized+polyester Powder Coated;

Straight			
			
Bend			
			
D/W			
L			



Pale Type	Pale Size	Pale Thickness	Height	Width	Angle Rail	Post	Post Length		
①Triple Pointed Top ②Single Pointed Top ③Round Top ④Round and Notch Top	68	2.0mm	1800mm	2750mm	L50 x 50 x 5.0mm L50 x 50 x 6.0mm	IPE100x55	2400mm		
		2.5mm							
		3.0mm							
	68	2.0mm						2100mm	IPE120x74
		2.5mm	2400mm			SHS80x80x3.0	3000mm		
		3.0mm	3000mm			SHS100x100x4.0	4000mm		
	56	3.5mm	3000mm						
		3.5mm							
4.0mm									

*All Parts is Available Produced as Per Client Request.

Steel Railing Fence

Surface Treatment:

Mesh: Pre-galvanized; Hot Dipped Galvanized; Pre-galvanized+polyester Powder Coated;

Hot Dipped Galvanized+polyester Powder Coated;




Height	Width	Rail Type	Rail Size	Picket	Post Size	Post Length	Flange Option
900mm	1800mm	2 rails	32 x 32 x 1.0mm	16 x 16 x 0.8mm	50 x 50 x 1.2mm 50 x 50 x 1.5mm 60 x 60 x 1.5mm 60 x 60 x 2.0mm 80 x 80 x 3.0mm	1200mm	120 x 120 x 4.0mm 150 x 150 x 5.0mm 200 x 200 x 6.0mm
1200mm			32 x 32 x 1.2mm	16 x 16x 1.0mm		1500mm	
1500mm		3 rails	40 x 40 x 1.2mm	19 x 19 x 1.0mm		1900mm	
1800mm			40 x 40 x 1.5mm	19 x 19 x 1.2mm		2300mm	
2100mm	2750mm	4 rails	50 x 50 x 2.0mm	25 x 25 x 1.2mm		2700mm	
2400mm			50 x 50 x 2.5mm	25 x 25 x 1.5mm		3000mm	
2700mm				25 x 25 x 2.0mm		3500mm	

*All Parts is Available Produced as Per Client Request.

Wrought Iron Fence

Surface Treatment: Polyester Powder Coated.



Height		Color		
40cm	50cm	H40Black	H50Black	H60Black
60cm	70cm	H70Black	H80Black	H90Black
80cm	90cm	H100Black	H40White	H50White
100cm	/	H60White	H70White	H80White
/	/	H90White	H100White	/

Height		Color		
40cm	50cm	H40Black	H50Black	H60Black
60cm	70cm	H70Black	H80Black	H90Black
80cm	90cm	H100Black	H40White	H50White
100cm	/	H60White	H70White	H80White
/	/	H90White	H100White	/

Height		Color		
40cm	50cm	H40Black	H50Black	H60Black
60cm	70cm	H70Black	H80Black	H90Black
80cm	90cm	H100Black	H40White	H50White
100cm	/	H60White	H70White	H80White
/	/	H90White	H100White	/

Height		Color		
40cm	50cm	H40Black	H50Black	H60Black
60cm	70cm	H70Black	H80Black	H90Black
80cm	90cm	H100Black	H40White	H50White
100cm	/	H60White	H70White	H80White
/	/	H90White	H100White	/

Height		Color		
40cm	50cm	H40Black	H50Black	H60Black
60cm	70cm	H70Black	H80Black	H90Black
80cm	90cm	H100Black	H40White	H50White
100cm	/	H60White	H70White	H80White
/	/	H90White	H100White	/

Height		Color		
40cm	50cm	H40Black	H50Black	H60Black
60cm	70cm	H70Black	H80Black	H90Black
80cm	90cm	H100Black	H40White	H50White
100cm	/	H60White	H70White	H80White
/	/	H90White	H100White	/

Height		Color		
40cm	50cm	H40Black	H50Black	H60Black
60cm	70cm	H70Black	H80Black	H90Black
80cm	90cm	H100Black	H40White	H50White
100cm	/	H60White	H70White	H80White
/	/	H90White	H100White	/

*All Parts is Available Produced as Per Client Request.

Chain Link Fence

Surface Treatment:

Mesh: Electro-galvanized; Hot Dipped Galvanized; Electro-galvanized+polyester Powder Coated;
Hot Dipped Galvanized+polyester Powder Coated;
Post: Pre-galvanized+polyester Powder Coated; Hot Dipped Galvanized+polyester Powder Coated;



Mesh Size	Mesh Height	Mesh Width	Wire Dia.		Post Length
			Galvanized	Galv+PP	
50x50mm 55x55mm 60x60mm 65x65mm 75x75mm	1200mm	10m	2.50mm 3.00mm 3.55mm	1.90/2.65mm	1500mm
	1500mm			1.70/2.50mm	1900mm
	1800mm	15m		2.24/3.15mm	2300mm
	2000mm	18m		2.50/3.55mm	2500mm
	2100mm	20m		3.00/4.00mm	2700mm
	2400mm	25m		3.55/4.75mm	3000mm
	3000mm	30m			3800mm

*All parts is available produced as per client request.

Anti-Climb Fence

Surface Treatment:

Mesh: Pre-galvanized+polyester Powder Coated; Hot Dipped Galvanized+polyester Powder Coated;
Post: Pre-galvanized+polyester Powder Coated; Hot Dipped Galvanized+polyester Powder Coated;



Mesh Size	Height	Width	Wire Dia. Line Wire x Cross Wire	Post Length
76.2x12.7mm 75x12.5mm 101.6x12.7mm	1800mm	2500/2750/3000mm	3.0 x 4.0mm 3.2 x 4.0mm 3.4 x 4.0mm 4.0 x 4.0mm	2400mm
	2000mm	2500/2750/3000mm		2600mm
	2200mm	2500/2750/3000mm		2800mm
	2400mm	2500/2750/3000mm		3000mm
	2700mm	2200/2300mm		3500mm
	3000mm	2200/2300mm		4000mm
	4000mm	2200/2300mm		5200mm

*All Parts is Available Produced as Per Client Request.


Airport Fence

Surface Treatment:

Polyester Powder Coated; Plastic Dipped Coated; Hot Dipped Galvanized; Electric Galvanized.



Panel					
Mesh Size	Mian Panel Height	V Panel Height	Width	Line Wire x Cross Wire	Total Fence Height
30x70mm	2030mm	530mm	2500mm	4,0mm x 4,0mm	2700mm
50x100mm	2230mm	630mm	2750mm	4,5mm x 4,5mm	2900mm
50x150mm	2430mm	730mm	3000mm	5,0mm x 5,0mm	3300mm
	2630mm				3700mm

Partes					
Post Size	Po st Thickness	Post length	Razor O.D	Razor Wire	Blade Thickness/Core Wire
60x60mm 80x80mm	2,0mm 2,5mm 3,0mm	2700+530mm 2900+530mm 3200+630mm 3500+730mm	500mm 600mm 700mm	BTO-22 Black Length  Core Wire Dia Blade Space	0.32mm/2.25mm 0.50mm/2.5mm

*All Parts is Available Produced as Per Client Request.



Fence Accessories

Post

Surface Treatment:

Post: Pre-galvanized+polyester Powder Coated; Hot Dipped Galvanized+polyester Powder Coated;

Picture								
Size	≤ 50x50 ≤ 60x60 ≤ 80x80 ≤ 100x100	50x70 70x100	70x44 100x55	48mm 60mm	⊙48mm ⊙60mm	40x60 60x80 80x100 100x150	60x60 60x80 80x100 100x150	100x55 100x68 120x74
Thickness	1.5/2.0/2.5/ 3.0/4.0mm	1.0/1.1/1.2mm	1.5/2.0/2.5mm	1.2/1.5/2.0mm	1.5/2.0/2.5mm	1.5/2.0/2.5/ 3.0/4.0mm	1.5/1.8/2.0/ 2.5/3.0mm	4.0/5.0/ 6.0mm

Fitting


Design	Materials	Use-1 Intermediate	Use-2 End	Use-3 Corner
	Plastic			
	Metal			
	Metal			
	Plastic			
	Metal			
	Plastic			



Fence Accessories



Product Image	Metal Clip		
	Design	Name	Materials
		Brace Band	Steel
		Tension Band	Steel
		Wire Tensioner Short Winder	Steel
		End Cap	Alu/Steel
		Tension Bar	Steel
		Tension Wire	Steel
		Stirrup Wire	Steel
		Tie/binding Wire	Steel
		Sleeve	Steel
		Eyetop	Alu/Steel
		Single extension arm	Steel
		Double extension arm	Steel
		Razor Wire	Steel
		Barbed Wire	Steel
		Tension Rod	Steel
		Turnbuckle	Steel



Cap			
Product Image	Design	Materials	
		Steel	
		Steel	
		Steel	
		Steel	
		Steel	
		Steel	
		Steel	
		Steel	